ZONESUN

ZONESUN TECHNOLOGY LIMITED

Email: sales6@zonesun.com

Whatsapp: 008618934310866

Technological innovation
Service first

ZONESUN

CATALOG

COMPLETE SOLUTIONS IN THE PACKAGING SYSTEM

ABOUT US

Guangdong Zonesun Technology Co., Ltd. has been committed to the packaging system, including R&D, manufacturing, and sales since 2014. It is a domestic professional company engaged in the food and daily chemical industries. It is a high-tech and modern enterprise with a number of national patent certificates.

The company's plant is about 6,800. It mainly develops and produces a series of packaging equipment such as filling machines, capping machines, labeling machines, coding machines, sealing machines, etc., to provide customers with one-stop supply and technical solutions. At present, the products have been exported to more than 100 countries and regions around the world, and are well-recognized by domestic and foreign customers.



ZONESUN TECHNOLOGY LIMITED

HISTORY

2014

Leo set up ZONESUN with 3 partners at home.

2016

Leo moved to a new office of 128m² with 4 members.

2017

The office expanded to 256m² with a staff of 10.

2018

The company was booming. Leo set up a subsidiary and has 16 staff. The area of ZONESUN is 1200m².

2019

The office expanded to 1600m² with a staff of 25.

2020

The staff leaped to over 60. The area of the warehouse increased by 1300m².

2021

A new headquarter was founded with a separate office area and warehouse. The company has a strong workforce of 82.

2022

The company operates 3 subsidiaries with a total area of over 6800 sqm and a staff of 95. It has earned an ISO9001 certificate, reaching the international quality and management standard.

ZONESUN

Now Zonesun is aiming to become one of China's high-tech enterprises and a model enterprise in the packaging industry.

ZONESUN TECHNOLOGY LIMITED

ZONESUN

CONTENTS

AUTOMATIC LINE

1 Automatic Filling Machine 01-02
2 Drinking Water Filling Machine 03-04
3 Automatic Bottled 3 in 1 Machine 05-06
4 AUBP Filling Machine 07-08
5 Automatic Production Line 09-10
6 Automatic Liquid Production Line 11-12
7 Test Tube Filling Production Line 13-14

FILLING MACHINE

1 Blister Filling Sealing Machine 15-16
2 Automatic Vacuum Liquid Filling Machine 17-18
3 Automatic Servo Filling Machine 19-20
4 Full Automatic Liquid Filling Machine 21-22
5 Granule Welghing & Filling Machine 23-24
6 Automatic Feeder Powder Filling Machine 25-26
7 Automatic Powder Filling Line 27-28
8 Packaging machine 29-30

CAPPING MACHINE

1 Automatic Vacuum Capping Machine 31-32
2 Automatic bottle capping machine 33-34
3 Capping automatic line 35-36
4 Automatc Perfume Bottle Crimping Machine 37-38

SMALL DESKTOP MACHINE

1 Desktop Automatic Bottle Filling Capping Machine 39-40
2 Automatic filling capping 2-in-1 machine for liquids 41-42

LABELING MACHINE

1 Automatic Perfume Bottle Capping Machine 43-44
2 Automatic Perfume Bottle Capping Machine 45-46
3 Double Side Flat Surface Labeling Machine 47-48

SEALING MACHINE

1 Ultrasonic Sealing Machine 49-50
2 Automatic Carton Edge Sealing Machine 51-52
3 Automatic Soap Wrapping Machine 53-54
4 Box Packaging Machine 55-56
5 DPP Pills Foilpackaging Blister Machine 57-58
6 Automatic Round Can Semaling Machine 59-60
7 Automatic Heat Shrink Packaging Machine 61-62

UNSCRAMBLER

1 Bottle Turntable 63-64
2 Automatic Bottle Turntable Machine 65-66
3 Bottle Turntable Machine 67-68
4 Automatic Bottle Cap Unscrambler For Capping Machine 69-70
5 Bottle Caps Feeding Machine 71-72
6 Liquid Feeding Machine 73-74

ZS-AFMC

SCAN TO WATCH THE VIDEO

AUTOMATIC FILLING MACHINE

This is a set of washing, filling, and capping machinery. It has many advantages of air transporting, pneumatic filling, bottleneck clamping, and so on. It is a complete solution for packaging bottled water and drinks, including carbonated drinks. Please contact us for customization and further details.

Output Capacity	6500BPH on 500ml PET Bottle
Rinsing /Filling	24pcs/24pcs/8pcs
Capping heads Quantity PET bottle size	Bottle Diameter 50-495mm Bottle Highness 160-310mm Bottle neck 28mm for Bottle Volume 250-2000ml
Suitable to fill	Water & Carbonated drink
Washing Water Required	2000 liter per hour
Washing Pressure	0.4Mpa
Required	380V AC60HZ 3-phase other power supply is available
Working Power	24V DC
Control Panel Power	0.7MPa
Compressed Air Pressure (for caps arranger)	0.4m3/min
Compressed Air Consumption (for caps arranger)	2800x2400x2650mm
Machine Dimension	4000kg approximately

Model	Capacity/500ml	Bottle size	Weight(KG)	Dimensions(mm)
ZS-AFMC 14-12-5	2000-3000bph	200-2000ml	3500	2516*2016*2700
ZS-AFMC 16-16-5	3000-4500bph	200-2000ml	5500	3000*2200*2800
ZS-AFMC 24-24-8	5000-6500bph	200-2000ml	8000	4150*2600*2900
ZS-AFMC 32-32-8	8000-10000bph	200-2000ml	10000	4550*2750*2900
ZS-AFMC 40-40-10	10000-12000bph	200-2000ml	12000	5450*3300*2900
ZS-AFMC 50-50-12	12000-24000bph	200-2000ml	14000	6500*3800*3200

ZS-AFMC

SCAN TO WATCH THE VIDEO

DRINKING WATER FILLING MACHINE

This is a set of washing, filling, and capping machinery. It has many advantages of air transporting, pneumatic filling, bottleneck clamping, and so on. It is a complete solution for packaging bottled water and drinks, including carbonated drinks. Please contact us for customization and further details.

Output Capacity	5000BPH on 500ml PET Bottle
Rinsing /Filling	14pcs /12pcs /5 pcs
Capping heads Quantity PET bottle size	Bottle Diameter Φ50-495mm Bottle Highness：160-310mm, Bottle neck：28mm, for Bottle Volume 250-2000ml
Suitable to fill	Water & Carbonated drink
Washing Water Required	1500 liter per hour
Washing Pressure	0.25Mpa
Required	380V AC60HZ 3-phase other power supply is available
Working Power	24V DC
Control Panel Power	0.7MPa
Compressed Air Pressure (for caps arranger)	0.6m3 /min
Compressed Air Consumption (for caps arranger)	2360x1770x2700mm
Machine Dimension	3500kg approximately

Model	Capacity/500ml	Bottle size	Weight(KG)	Dimensions(mm)
ZS-AFM 8-8-3	1000-3000bph	200-2000ml	2500	2516*2016*2700
ZS-AFM 14-12-5	3500-4500bph	200-2000ml	3500	3000*2200*2800
ZS-AFM 16-16-5	7000-8000bph	200-2000ml	5500	4150*2600*2900
ZS-AFM 24-24-8	10000-14000bph	200-2000ml	8000	4550*2750*2900
ZS-AFM 32-32-8	15000-18000bph	200-2000ml	10000	5450*3300*2900
ZS-AFM 40-40-10	18000-24000bph	200-2000ml	12000	6500*3800*3200

ZS-AFMC

SCAN TO WATCH THE VIDEO

AUTOMATIC BOTTLED

WATER WASHING FILLING CAPPING 3 IN 1 MACHINE

This is a set of washing, filling, and capping machinery. It has many advantages of air transporting, pneumatic filling, bottleneck clamping, and so on. It is a complete solution for packaging bottled water and drinks, including carbonated drinks. Please contact us for customization and further details.

Model	ZS-AFMW600	ZS-AFMW900	ZS-AFMW1200	ZS-AFMW2400
Filling heads	4	6	12	16
Volume	3-5 Gallons			
Barrel size	Dia. 270-490 mm			
Capacity(BPH)	600	900	1200	2400
Gas consumption(m3/hr)	1	1.5	1.8	1.8
Powder(KW)	7.5	10	16	16
Weight(kg)	3000	4300	6000	6000

AUTOMATIC LINE

ZS-AUBP

AUBP
FILLING MACHINE

SCAN TO WATCH THE VIDEO

This is a filling machine for aseptic packaging of liquid food. It provides a complete solution for mass production, including carton molding, sterilizing, filling, sealing, and transporting. It is cost-effective and labor-saving. It is widely used in the dairy and juice-making industries.Please contact us for customization and further details.

Type	ZS-AUBP5000-200/ZS-AUBP5000-250/ ZS-AUBP5000-500/ZS-AUBP5000-1000
Capacity	200ml-1000ml
Compressed Air Pressure	>0.6mpa (6Bar)
Packaging Speed	5000 cartons/hour
Power	18KW
Actual Power Consumption	8KW
Power Source	50Hz 380/220V
Size	4200mm x1800mm x4000mm (L x W x H)
Weight	3000KG
Package Form	Brick-shaped carton packages made of paper AL/ PE laminated materials.

AUTOMATIC LINE

ZS-FALU1

AUTOMATIC PRODUCTION LINE

SCAN TO WATCH THE VIDEO

This production line is consist of bottle washing machine,drying machine,labeling machine,filling and ropp capping machine,the full automated production improves working efficiency and reduce production error.Custom service is available.Please contact us for customization and further details.

- Suitable for filling Inflammable liquids and paste like alcohol
- Enter the certain number to realize accurate filling
- High working efficiency,can pack 20-40 bottles/min

AUTOMATIC LINE

ZS-FAL180EX

SCAN TO WATCH THE VIDEO

AUTOMATIC LIQUID PRODUCTION LINE

This automatic liquid production line is consist of the turntable machine,the ex-proof filling machine,ex-proof capping machine and the bottle sorting machine.The main advantage of the filling machine is that this machine can fill liquid accurately by entering certain number,this makes it save time on adjusting filling time and speed to realize accurate filling.The working height of the capping machine can be adjusted according to bottle sizes.This line can make the production in order and improve production speed.It is suitable for filling Inflammable liquids and paste.Please contact us for customization and further details.

Machine Model	ZS-VTCM1
Filling Range	10-100ml 100-1000ml 1000-5000ml
Machine Power	2KW
Air Pressure	0.6Mpa
Working Speed	20-40bottles/min
Capping Machine Labeling machine can be customized	

Machine Model	ZS-VTFM1
Machine Power	3KW
Filling Range	100-1000ml(can be customized)
Working Speed	20-40bottles/min(based on 500ml)
Filling Accuracy	31%
Air Pressure	0.8Mpa
Conveyor Size	1140mm*100mm(L*W)
Filling Nozzle Diameter	OD 8mm
Package Size	2140*2110*1250mm+950*630*1200mm (machine+electric control box)
Package Weight	550kg+100kg(machine+electric control box)

AUTOMATIC LINE

ZS-FAL180Z3

SCAN TO WATCH THE VIDEO

TEST TUBE FILLING PRODUCTION LINE

Designed with peristaltic pump, the filling and capping machine is assembled with labeling machine to realize automatic production. With 2 unscramblers, it can feed tubes and caps automatically. The turntable provides precise positioning. It is widely used in chemical and pharmaceutical industries.Please contact us for customization and further details.

Machine Model	ZS-FAL180Z3
Voltage	230V/220V 50-60Hz
Machine Pump	Peristaltic pump
Machine Power	2KW (filling and capping) / 1.25KW (labeling)
Bottle Diameter	Customized
Filling Range	25ml
Bottle Height	Customized
Cap Diameter	Customized
Working Speed	30 bottles/min(depends on liquid and tube size)
Machine Size	1600*1500*1700mm (filling and capping) 2400*850*1600mm (labeling)
Machine Weight	500kg (filling and capping) / 250kg (labeling)
Package Size	1650*1550*1760mm (filling and capping) 2500*900*1760mm (labeling)
Package Weight	520kg (filling and capping) / 270kg (labeling)



AUTOMATIC LINE

ZS-FS120

SCAN TO WATCH THE VIDEO

BLISTER FILLING SEALING MACHINE

This machine can feed package material,form blister,fill liquid,sealing blister and cut blister,it can fill liquid accurately and cut blister neatly,the high working accuracy improves production quality.Extra coding function can be realized as well.Please contact us for customization and further details.

Machine Model	ZS-FS120
Maximum forming height	12mm
Maximum forming size	110*120 mm
Filling nozzle quantity	5
Cutting speed	15-30 times/min
Package material	PVC+PE(0.2-0.4)x240mm
Capacity	1-50ml
Machine power	7KW
Voltage	220v-380v/50Hz
Net weight/Gross weight	Abou 900Kg/1059kg
Machine size	About 2300*850*1400mm
Package size	About 2480*1080*1620mm







FILLING MACHINE

ZS-YTZL4A

SCAN TO WATCH THE VIDEO

AUTOMATIC VACUUM LIQUID FILLING MACHINE

The vacuum liquid filling machine can prevent the fragrance of liquid from spreading,this is especially good for perfume filling.It is full automatic and can work with automatic capping machine to realize automated production.Multiple filling nozzles can be customized according to production needs. Please contact us for customization and further details.

Model	ZS-YTZL4A
Vullen hoofd	4 hoofd
Luchtdruk	0.5-0.8MPa
Vloeibare niveau nauwkeurigheid	3 1mm
Viscositeit bereik	De maximale toepassing viscositeit is 20Cps (statische viscositeit)
Werken Snelheid	20-40 flessen/Minuut
Fles hoogte	250mm
Fles Opening Grootte	Φ4.5mm-φ28mm
Verstelbare vloeistofniveau (van de fles mond)	15-50mm
Air pompsnelheid	5.5L/S
Machine maat	Ongeveer 1500*1150*1530mm
Machine gewicht	Ongeveer 278kg
Pakket maat	Ongeveer 1660*1310*1670mm
Pakket gewicht	Ongeveer 339kg







FILLING MACHINE

AUTOMATIC SERVO FILLING MACHINE

ZS-YTCT4P Automatic Shea Butter Filling Machine

Machine model	ZS-YTCT4P
Voltage	110 V/220 V
Max Temperature	80 ºC
Filling Nozzle	4 (Customizable)
Nozzle Diameter	8mm (Customizable)
Filling Range	10-180ml/30-500ml/100-1000ml
Capacity	About 30-100 bottles/min
Air Pressure	0.6-0.8MPa
Margin of Error	+1%
Size	About 200*80*180cm(L*W*H)
Net Weight	About 350kg
Packing Size	204*95*194cm(L*W*H)
Gross Weight	367kg

SCAN TO WATCH THE VIDEO



ZS-SV4HS Automatic Liquid Filling Machine

Model	ZS-SV4HS
Machine voltage	110/220V 50-60HZ
Power	About 6KW
Filling Range	100-1000ml(Can be customized)
Filling Speed	About 30-70 bottles/min (depending on bottle size and filling material)
Filling Error	About30.5%
Air Pressure	0.5-0.8Mpa
Conveyor belt size	About 114*2000mm(W*L)
Machine Weight	About 130kg
Package Size	About 2070*760*1670mm
Package Weight	About 275kg

SCAN TO WATCH THE VIDEO



FULL AUTOMATIC LIQUID FILLING MACHINE

ZS-VTPP80C Peristaltic Pump Filling Machine

Equipped with peristaltic pump,this liquid filling machine can work automatically,it can fill about 30-50 bottles/min.Each filling nozzle of this machine can be controlled separately,additionally the liquid will not pass through the pump during filling,ensure the liquid is clean after filling.Please contact us for customization and further details.

SCAN TO WATCH THE VIDEO



ZS-VTMP80C Magnetic pump Filling Machine

This machine is equipped with a magnetic pump which can help you fill liquid accurately.There are several nozzles and customers can control each nozzle separately if they need this.This full automatic liquid filling machine is with conveyor and can be used as one part of production line.These are all help you improve working efficiency greatly.Please contact us for customization and further details.

SCAN TO WATCH THE VIDEO



ZS-FAL180Z3

SCAN TO WATCH THE VIDEO

GRANULE WEIGHING & FILLING MACHINE

It adopts a multi-head weigher for quantitative filling.
It has a wide range of applications

Model	ZS-QGF10
Power Supply	220V/380V
Feeding Speed	4-10CBM/h
Feeding Height	3000mm (Adjustable)
Feeding Hopper	2L, ABC Food Grade
Weighing Range	10-1500g
Margin of Error	30.5g
Weighing Hopper	1.6L/2.5L
Filling Speed	20-35bottles/min
Filling Height	40-200mm (Customizable)
Bottle Diameter	40-100mm (Customizable)
Air Pressure	0.6-0.8MPa
PLC	XINJE
Display	XINJE
Photoelectric Eye	Autonics
Servo Motor	HCFA
Switch	CHINT
Relay	CHINT
Air Cylinder	AirTAC
Solenoid Valve	AirTAC

ZS-FM2A

SCAN TO WATCH THE VIDEO

AUTOMATIC FEEDER POWDER FILLING MACHINE

- Equipped with customized material feeder,which helps you save production labor and time.
- It is with mixer which can mix up material well before filling.
- The filling nozzle can customized according to filling material.

Machine model	ZS-FM2A
Voltage	220V/110V
Power	2000W
Filling speed	10-15pcs/min (based on material)
Suitable bottle diameter	Less than 100mm
Applicable bottle height	Customized
Filling heads	Only one
Filling material	Powder produce like flour
Conveyor Belt size	198*10cm
Package size	135.2*91*248cm(machine body) 327*40*56(feeder)/93.5*86.5*98.5(hopper)

ZS-FAL180Z3

SCAN TO WATCH THE VIDEO

AUTOMATIC POWDER FILLING LINE

This powder filling line is consist of three heads powder filling machine,cap elevator,and cap pressing machine.This filling line is suitable for packaging fine powder,milk powder,talcum powder. Please contact us for customization and further details.

Machine model	ZS-FM4A
Machine voltage	380V 6KW
Filling range	50-300g(can be customized)
Filling nozzle diameter	Customized
Filling head quantity	3
Filling accuracy	±1% g
Machine size	About 2800*1050*2300mm
Package size	About 2590*1030*2230mm
Net weight/Gross weight	About 600kg/905kg

Machine Model	ZS-XG21
Voltage	220V/110V 50-60Hz
Motor Power	180W
Working Speed	About 1000-3000 bottles/h(depending on bottle and cap size)
Applicable Bottle Height	100-380mm
Bottle Cap Diameter	50-100mm
Conveyor Motor Power	370W
Machine Size	About 630*650*1500mm
Package Size	About 860*650*2100mm
Package Weight	About 150kg



FILLING MACHINE

PACKAGING MACHINE

ZS100
PASTE PACKAGING MACHINE

SCAN TO WATCH THE VIDEO

ZF100
POWDER PACKAGING MACHINE

SCAN TO WATCH THE VIDEO

ZS100	Paste Packaging Machine		
Model	ZS-S100	ZS-S200	ZS-S300
Bag length	50-150mm	50-250mm	50-300mm
Bag width	25-120mm	25-120mm	70-190mm
Film width	50-240mm	50-240mm	140-380mm
Bag volume	5-100ml	50-300ml	100-1000ml
Packing speed	30-50 bags/min	25-40 bags/min	23-30 bags/min
Power supply	220V/AC 50Hz 1.5Kw	220V/AC 50Hz 1.6Kw	220V/AC 50Hz 1.8Kw
Air requirements	0.8Mpa, 150L/min	0.8Mpa, 180L/min	0.8Mpa, 250L/min
Machine size	760*1380*1700mm	760*1380*1700mm	900*1800*2040mm
Machine weight	300kg	300kg	500kg

ZF100	Powder Packaging Machine	
Model	ZS-F100	ZS-F300
Bag length	50-150mm	50-300mm
Bag width	25-120mm	70-190mm
Film width	50-240mm	140-380mm
Bag volume	5-100ml	100-1000ml
Packing speed	30-50 bags/min	20-30 bags/min
Power supply	220V/AC 50Hz 1.6Kw	220V/AC 50Hz 1.8Kw
Air requirements	0.6Mpa, 100L/min	0.6Mpa, 100L/min
Machine size	760*980*1700mm	900*1110*2100mm
Machine weight	300kg	500kg

ZS-TB300Z

SCAN TO WATCH THE VIDEO

AUTOMATIC VACUUM CAPPING MACHINE

This machine is used for automatically feeding and capping caps or lids. It adopts vacuum pumps for capping, which makes it popular in the food industry. It can be assembled with supporting equipment, such as filling machine and labeling machine to form an automated production line. Please contact us for customization and further details.



Machine Model	ZS-XGVS1
Voltage	220V/380V 50Hz
Power	500W
Air Pressure	0.6-0.8Mpa
Speed	20-40 bottles/min
Vacuum Pump	380V/220V 3.5-5.5kW
Machine Weight	500kg





CAPPING MACHINE

AUTOMATIC BOTTLE CAPPING MACHINE

ZS-XG440C Automatic Ropp Capping Machine

This machine is equipped with a magnetic pump which can help you fill liquid accurately.There are several nozzles and customers can control each nozzle separately if they need this.This full automatic liquid filling machine is with conveyor and can be used as one part of production line.These are all help you improve working efficiency greatly.Please contact us for customization and further details.

SCAN TO WATCH THE VIDEO

ZS-XG440E Automatic beer bottle capping machine

Equipped with peristaltic pump,this liquid filling machine can work automatically,it can fill about 30-50 bottles/min.Each filling nozzle of this machine can be controlled separately,additionally the liquid will not pass through the pump during filling,ensure the liquid is clean after filling.Please contact us for customization and further details.

SCAN TO WATCH THE VIDEO

CAPPING AUTOMATIC LINE

ZS-XG16E Automatic feed CAPS&CAP bottles machine

This automatic capping machine can feed droppers, clamp droppers, put them into bottles and tighten bottles automatically. The vibratory bowl can be customized according to the dropper. It is good for capping essential oil bottles and nail polish bottles. Please contact us for customization and further details.



SCAN TO WATCH THE VIDEO

ZS-XG16D1 Automatic capping machine with lid guide

This machine is suitable for pressing wine bottle corks. With a cork guiding rail, it can feed automatically before capping bottles. The guide rail can be customized according to caps' diameter. This machine can work with automatic filling machine and labeling machine, realizing automated production. Please contact us for customization and further details.



SCAN TO WATCH THE VIDEO

ZS-YG11

SCAN TO WATCH THE VIDEO

AUTOMATIC PERFUME BOTTLE CRIMPING MACHINE

This full automatic sealing machine has advantages that it can work precisely and automatically.It is not hard to operate and work stably.It is equipped with a dust cover which is good for improving product quality. Please contact us for customization and further details.

Machine Model	ZS-YG11
Voltage	220V/110V 50-60Hz
Production Capacity	About 540bottles/h
Crimping Head	Customized
Suitable Bottle Height	65-200mm
Conveyor Belt Size	About 2200mm*115mm(L*W)
Machine Size	About 2200mm*680mm*1600mm
Machine Weight	About 161kg

CAPPING MACHINE

DESKTOP AUTOMATIC BOTTLE FILLING CAPPING MACHINE

ZS-AFC7	Bottle Filling Capping Machine
Machine Model	ZS-AFC7
Machine power	1000W
Machine voltage	110/220V 50-60HZ
Filling pump	Magnetic Pump
Recommended filling range	10-200ml
Pump maximum flow rate	4L/min
Suitable bottle height	About 10-100mm
Suitable bottle diameter	About 15-100mm
Suitable cover size	φ=10-50mm
Working speed	About 30 bottles/min
Machine size	About 980*820*960mm(machine) About 510*720*620mm(vibratory bowl sorter)
Machine weight	About 200kg
Package size	About 1060*750*1060mm(machine) About 750*550*590mm(vibratory bowl sorter)
Package weight	About 175kg(machine) About 90kg(vibratory bowl sorter)

SCAN TO WATCH THE VIDEO

ZS-LPG1	Bottle Sorting Filling Machine
Machine Model	ZS-LPG1
Voltage	220V/110V 50-60Hz
Machine Pump	Ceramic Plunger Pump
Filling Range	0.2-1.5ml/0.3-2.8ml/0.6-6ml/1-12ml/2-25ml
Filling Speed	0-45bottles/min(depend on bottle size)
Applicable Bottle Diameter	16-60mm
Filling Accuracy	≦30.25%
Machine Size	About 980*750*410mm
Machine Weight	About 52.5kg

SCAN TO WATCH THE VIDEO



SMALL DESKTOP MACHINE

ZS-AFC1Z

SCAN TO WATCH THE VIDEO

AUTOMATIC FILLING CAPPING 2-IN-1 MACHINE FOR LIQUIDS

- Bottle loading, filling, capping all-in-one, which saves labour and spaces
- High accuracy, high efficiency, and saving labor
- Providing custom service and solution as your needs



Model	ZS-AFC1Z
Machine voltage & power	110/220V 50-60HZ 500W
Machine pump	Peristaltic pump
Suitable bottle diameter	10-40mm
Filling range	100ml
Bottle height	120mm(can be customized for higher bottles)
Cap diameter	Customized
Size of filling nozzle	Customized
Working speed	20-50bottles/min(depends on liquid and bottle size)
Conveyor belt size	About 670*80mm
Package size	About 1200*700*1100mm
Package weight	About 128kg



SMALL DESKTOP MACHINE

PAGE 41-42

ZS-TB300Z

SCAN TO WATCH THE VIDEO

AUTOMATIC PERFUME BOTTLE CAPPING MACHINE

This machine has a wide scope of application, which can be used for labeling square bottles or round bottles, such as laundry detergent bottles, whisky bottles, wine bottles, oil bottles, etc. It can be used with automatic filling machine and capping machine, realizing automated production. Please contact us for customization and further details.

Machine Model	ZS-TB300Z
Machine Power	110/220V 2500W
Working Speed	30-150 bottles/min(based on bottle size)
Labeling Accuracy	31mm
Suitable Labeling Object	30-300mm(L)*30-100mm(W)*50-350mm(H)
Suitable Label Size	15-300mm(L)*15-150mm(W)
Label Roll OD	Φ280mm
Label Roll ID	Φ76mm
Machine Size	About 2710*1450*1540mm(L*W*H)
Package Size	About 1900*970*1690mm

LABELING MACHINE

ZS-TB260S

SCAN TO WATCH THE VIDEO

AUTOMATIC PERFUME BOTTLE CAPPING MACHINE

This machine is used to apply labels on round bottles. Compared with ZS-TB260, it is smaller, lighter, and cheaper with the same functions. It can finish single or double sided labeling with fast speed and high stability. It is widely used in packaging industry. Please contact us for customization and further details.

Model	ZS-TB260S
Power supply	AC220V 50Hz/60Hz 1500W
Labeling capacity	25- 50PCS /min(depends on bottle size)
Labeling accuracy	φ31.0mm
Suitable Bottle Diameter	φ30-100mm
Label size	(L)15-200mm (H)15-150mm
Roll inside diameter	φ76mm
Roll outside diameter	φ350mm
Conveyor Size	1950(L)*100mm(W)
Packing Size	About 1580*970*1100mm
Gross Weight	About 211kg



LABELING MACHINE

ZS-TB113B

SCAN TO WATCH THE VIDEO

DOUBLE SIDE FLAT SURFACE LABELING MACHINE

This machine is suitable for flat labeling on top and bottom of cosmetic box, package bags, books, etc. This machine can work with automatic filling machine and capping machine, realizing automated production. It can be widely used in food, cosmetic, medicine industries. Please contact us for customization and further details.



Machine Model	ZS-TB113B
Power Supply	110V/220V 50-60HZ
Working Speed	About 20-80 pieces/min(Based on product and label size)
Labeling Accuracy	31mm
Suitable Labeling Object	Customize
Suitable Label Size	Customize
Label Roll OD	φ300mm
Label Roll ID	φ76mm
Machine Size	About 2490mm(L)*6250mm(W)*1410mm(H)
Package Size	About 2740mm(L)*1040mm(W)*1510mm(H)
Net Weight/Gross Weight	About 369kg/491kg





LABELING MACHINE

QDFM-125

SCAN TO WATCH THE VIDEO

ULTRASONIC SEALING MACHINE

This machine is designed for sealing soft tube like toothpaste,hand cream,lotion,shampoo etc.It is with the cutting function,can cut off the needless soft tube after sealing.It can be equipped with date coder to make it achieve to seal and date code at the same time.reduce your production process and cost. Please contact us for customization and further details.

Power	AC220V/50Hz
The apparent power of the transducer	1500W/2000+/-10%
The ultrasonic frequency	20KHz-15KHz
The delay time	0.1-9.9 seconds
The welding time	0.1-9.9 seconds
The edge cutting time	0.1-9.9 seconds
Sealing diameter	5-80mm (can be customized)
The working air pressure	0.15-0.8MPAa
The size of workbench	300*325mm
Dimensions	110 * 65 * 53cm
Net weight	75kg





SEALING MACHINE

ZONESUN

ZS-H8001

SCAN TO WATCH THE VIDEO

AUTOMATIC CARTON EDGE SEALING MACHINE

Designed for sealing carton automatically,the entire sealing operation is automatically performed and the machine can be operated together with automatic packaging line,can help to improve working efficiency and ensure the production quality. Please contact us for customization and further details.





Mode	H8001
IVoltage	220V 50-60Hz
Power	1000W
Sealing Speed	17.5m/min
Tape Width	60-78mm
Tape Head	50-70mm(Adjustable)
Sealing Length	200-500mm
Sealing Width	320-500mm
Sealing Height	180-500mm
Height of the Work Surface	660-740mm(Adjustable)
Air Pressure	5-6kg/cm²
Dimension	1970*1100*1470mm
Weight	About 400kg



SEALING MACHINE

ZS-HPK960

SCAN TO WATCH THE VIDEO

AUTOMATIC SOAP WRAPPING MACHINE

- High working efficiency,it can wrap 50 pieces/min
- Can customize mold for different sizes of materials
- Can be equipped with a feeding machine to realized automated production



This automatic packaging machine is suitable for different sizes of round products like hotel soap,toilet cleaning block,tea or chocolate.It can work with feeding machine to realize automated production.The pleating wrapping method can offer you more beautiful packaging appearance,lower packaging cost and higher efficiency.We can offer different sizes of packaging mold according to your packaging product. Please contact us for customization and further details.

Machine Model	ZS-PK960
Voltage	110V/220V 50-60HZ
Power	2000W
Air Pressure	0.5-0.6MPa
Working Speed	50 pieces/min
Mold Size	Customized
Suitable Material Size	φ40-70mm*8-35mm(thickness)
Suitable Film Material	Pearlized film,recycle paper,tissue paper etc
Film Diameter	80-150mm
Film Roll Inner Diameter	75mm
Film Roll Outer Diameter	500mm
Label Diameter	40mm
Label Roll Inner Diameter	75mm
Label Roll Outer Diameter	300mm
Package Size	2100x1000x1700mm(L*W*H)
Package Weight	600W

ZONESUN

ZS-MSZH50

SCAN TO WATCH THE VIDEO

BOX PACKAGING MACHINE

This is a carton packaging machine for various products, such as facial masks and skincare products. The procedure includes opening the box, packing material into the box, tucking the flap of the box in, and sealing the box. It can be used with supporting machines to form an automatic production line. Please contact us for customization and further details.

Model	ZS-MSZH50
Power supply	110V/220V/380V
Power	About 0.75KW
Work flow	Feeding the material → Opening the box → Putting the material into the box → Tucking the flap of the box in → Sealing the box → Transporting the finished product
Efficiency	About 30-60 pieces/min
Paper box quality requirements	300-450g/m3, carton indentation is not less than 0.4mm, with pre-folding effect, no glue leakage in the box
Suitable box specifications	Skincare products: 120-200*30-70*20-60mm(L*W*H) Facial masks: 135-200*20-150*20-40mm(L*W*H) (Customizable)
Air pressure	0.6-0.8Mpa
Air consumption	130L/h



SEALING MACHINE

ZS-DDP-A

DPP

SCAN TO WATCH THE VIDEO

PILLS FOILPACKAGING BLISTER MACHINE

The machine adopts computer programmable controller,touch panel operation and frequency conversion speed regulator. It is in high degree of automation and easy to operate. It is the ideal blister packaging equipment which is suitable for pharmaceutical,food and electronicsn the medical equipment and other industries. It can be used for packing capsules,tablets,honey bolus,candy etc.

Features:

1.The main transmission part adopts imported gear reducer, which has longer service life,lower noise and stable operation.

2.The working range is adjustable, you can change the size of the capsule blister sheet,make the machine suitable for more than a thousand varieties of products.

3.Flat structure, can pack material in any shapes:oval,square,triangle and other shaped items.

4.No waste edge cutting

5.Can be equipped with photoelectric detection and correction device, imported stepping motor for traction

Model	DPP-A	DPP-B
Cutting Frequency	10-50 times/min	10-35 times/min
Capacity	600-3000strip/h	3000-14000strip/h
Max shaping areas and depth(mm)	750x110x30	110x120x26 (Standard depth is 14mm)
Standard section(mm)	80x57	55-57(Customizable size)
Special section(mm)	100x110x30(Customizable size)	80x57(Customizable size)
Air Pressure	0.4-0.7Mpa	0.4-0.6Mpa
Power supply	380V/220V 50Hz 1.8kw	380V 50Hz 3.8kw
Main motor power	0.75kw	1.5kw
PVC hard film(mm)	0.15-0.5x90	0.15-0.5x140
PTP aluminum foil(mm)	0.02-0.035x90	0.02-0.03x140
Dialysis paper(mm)	50-100gx90	50-100gx140
Dimensions(mm)	1520x580x980	2300x560x1410(LxWxH)
Machine weight(kg)	380	750
Scope of application	Φ1.5 or more pills, compatible with 00-5# capsules, soft capsules, φ5.5-12 plain tablets, shaped tablets, sugar-coated tablets, etc.	
Loading range	2-9999 pieces (adjustable)	

ZS-CS2

AUTOMATIC ROUND CAN SEAMING MACHINE

This full automatic sealing machine has advantages that it can work precisely and automatically.It is not hard to operate and work stably.It is equipped with a dust cover which is good for improving product quality. Please contact us for customization and further details.

Number of cover hobs	4
Sealing speed	30 - 50 cans / min
Sealing height	40 - 200MM (can be customized)
Applicable bottle diameter	35 - 130MM (can be customized up to 150MM)
Working temperature	0 - 45℃
Working humidity	35% - 85%
Working power	AC380V 50 / 60Hz
Total power	1.9KW
Weight	about 500KG
Dimension	3000 * 900 * 1700MM
Air source pressure	0.4 - 0.8MPa, flow rate 0.15m3 / min



ZS-SPL1

SCAN TO WATCH THE VIDEO

AUTOMATIC HEAT SHRINK PACKAGING MACHINE

These machine can fold film ,seal sides and shrink film to finish the package.The temperature and time can be adjusted according to operation needs.These machine are widely used in food,electronics, and printing industries. Please contact us for customization and further details.



Machine Model	ZS-BSN4020
Voltage	220V
Power	5.5kw
Conveyor Speed	0-10"
Furnace Size	800*400*200mm
Max Temperature	300℃
Conveyor Loading Capacity	10kg
Conveyor Size	1100mm*360mm(L*W)
Applicable Film Materiala	PVC, PP, PE, POF
Machine Size	1100*560*1050mm(L*W*H)
Machine Weight	63kg
Package Size	1220*650*900mm(L*W*H)





ZS-LP

SCAN TO WATCH THE VIDEO

BOTTLE TURNTABLE

This machine is used to arrange bottles before production,makes the production be in order and reduce production error.This machine is widely used in beverage,food,daily chemical and cosmetics industries. Please contact us for customization and further details.

Suitable Bottle Diameter	30-100mm
Working Speed	40-60 bottles/min(depends on bottle size)
Power	180W
Power Supply	220V/50-60HZ
Machine Weight	65kg

TURNTABLES COME IN MULTIPLE SIZES
600/800/1000/1200mm

BOTTLE UNSCRAMBLER

ZS-LP150

SCAN TO WATCH THE VIDEO

AUTOMATIC BOTTLE TURNTABLE MACHINE

This machine is used to arrange bottles before production,makes the production be in order and reduce production error.This machine is widely used in beverage,food,daily chemical and cosmetics industries. Please contact us for customization and further details.

Machine model	ZS-LP150
Machine voltage	220V 50Hz
Machine power	750W
Working speed	30-60bottles/min
Machine size	About 1550*980*1190mm
Machine weight	About 235kg
Package size	About 1660*1260*1410mm
Package weight	About 323kg





BOTTLE UNSCRAMBLER

ZS-LP750

SCAN TO WATCH THE VIDEO

BOTTLE TURNTABLE MACHINE

Compared with other bottle turntable machine,this one can help you save production labor greatly,you just need to pour bottles into this machine,and it is not necessary to place bottle face up,this machine is widely used in food,beverage,cosmetics industries. Please contact us for customization and further details.

Machine Model	ZS-LP750
Voltage	220V/110V 50-60Hz
Machine Power	< 500W
Rotary Plate Diameter	755mm
Suitable Bottle Diameter	Customized according to your bottles
Working Speed	20-80 bottles/min
Machine Size	About 570*685*1325mm
Machine Weight	About 177kg
Package Size	About 1110*1080*1490mm
Package Weight	About 208kg







BOTTLE UNSCRAMBLER

ZS-CVP1

SCAN TO WATCH THE VIDEO

AUTOMATIC BOTTLE CAP UNSCRAMBLER FOR CAPPING MACHINE

This machine is normally connected between filling machine and capping machine,it is designed for feeding bottle caps,helps to reduce labor cost.This machine can be customized according to bottle cap size,ensures it can work perfectly. Please contact us for customization and further details.

Machine Power	110/220V 50-60HZ
Material	Stainless Steel
Suitable Caps Diameter	Customized
Working Speed	
Machine Size	

CAN BE CUSTOMIZED ACCORDING TO BOTTLE CAP SIZE.

CAP FEEDER

ZS-SLJ1

SCAN TO WATCH THE VIDEO

BOTTLE CAPS FEEDING MACHINE

This machine can feed bottle caps automatically,the working speed is adjustable and it is good to work with production line,helps you save labor and reduce production error.This machine needs to be customized according to cap size. Please contact us for customization and further details.

Model	ZS-SLJ1
Capacity	60-120pcs/min
Suitable Cap Size	Customized
Voltage	AC220V 50HZ
Power	0.37KW
Machine Size	About 1300*600*2000mm
Machine Weight	About 80kg
Gross Weight	205kg
Package Size	2350*850*1070mm





CAP FEEDER

ZS-FP1

SCAN TO WATCH THE VIDEO

LIQUID FEEDING MACHINE

This pneumatic piston pump can be used as a front-step transmission device of filling equipment,it can pump paste like peanut butter,tomato slurry,chocolate,etc. Please contact us for customization and further details.

Model	ZS-FP1
Material	SUS304 Stainless Steel & PVC pipe
Pneumatic Device	AirTAC
Hose length	1.5m
Speed	1L per time
Size	About 500*500*1800mm







LIQUID FEEDER